

Issuing Date 25-Jan-2023

Revision date 25-Jan-2023

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Code(s)** 5824648  
**Product Name** MARKEM-IMAJE PRINTHEAD CLEANING WIPE  
**Pure substance/mixture** Substance

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Cleaner  
**Uses advised against** No information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

Markem-Imaje Industries  
 9, rue Gaspard Monge  
 26500 Bourg-lès-Valence  
 France  
<http://www.markem-imaje.com>  
 E-mail: [sds@markem-imaje.com](mailto:sds@markem-imaje.com)

### 1.4. Emergency telephone number

Emergency Telephone Chemtrec: International 1-800-424-9300 / Local +44-2038850382  
 MTECH LTD  
 60 Cawley Street  
 Ellerslie 1051  
 AUCKLAND  
 64 9 915 5555

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

<b>Serious eye damage/eye irritation</b>	Category 2 - (H319)
<b>Flammable liquids</b>	Category 2 - (H225)

### 2.2. Label elements



**Signal word**  
 Danger

**Hazard statements**

H319 - Causes serious eye irritation

H225 - Highly flammable liquid and vapor

**Precautionary statements**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

P337 + P313 - If eye irritation persists: Get medical advice

**Additional information**

This product requires tactile warnings if supplied to the general public.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients****3.1 Substances****Chemical nature**

Preparation.

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Isopropyl alcohol	(603-117-00-0) 200-661-7	67-63-0	50 - 60	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225)	01-21194575 58-25	-	-	-

**Full text of H- and EUH-phrases: see section 16****Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Isopropyl alcohol 67-63-0	1870	4059	Inhalation LC50 Rat >10000 ppm 6 h (no deaths occurred, vapor, Source: ECHA_API)	>10000	Inhalation LC50 Rat >10000 ppm 6 h (no deaths occurred, vapor, Source: ECHA_API)

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Ingestion</b>	Clean mouth with water and afterwards drink plenty of water. Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	May cause redness and tearing of the eyes. Burning sensation.
-----------------	---

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Note to physicians</b>	Treat symptomatically.
---------------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable Extinguishing Media</b>	Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray. Alcohol resistant foam.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards arising from the chemical</b>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
---	---

### 5.3. Advice for firefighters

<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

---

<b>Personal precautions</b>	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
<b>Other information</b>	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
<b>For emergency responders</b>	Use personal protection recommended in Section 8.

### **6.2. Environmental precautions**

<b>Environmental precautions</b>	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
----------------------------------	--

### **6.3. Methods and material for containment and cleaning up**

<b>Methods for containment</b>	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
<b>Methods for cleaning up</b>	Take precautionary measures against static discharges. Pick up and transfer to properly labeled containers.
<b>Prevention of secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.

### **6.4. Reference to other sections**

<b>Reference to other sections</b>	See section 8 for more information. See section 13 for more information.
------------------------------------	--

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

<b>Advice on safe handling</b>	Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.
<b>General hygiene considerations</b>	Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

### **7.2. Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.
---------------------------	---

### **7.3. Specific end use(s)**

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Isopropyl alcohol 67-63-0	-	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL 800 ppm STEL 2000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>	STEL: 1225.0 mg/m <sup>3</sup> TWA: 980.0 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 999 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1250 mg/m <sup>3</sup>
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Isopropyl alcohol 67-63-0	-	TWA: 500 mg/m <sup>3</sup> Ceiling: 1000 mg/m <sup>3</sup> D*	TWA: 200 ppm TWA: 490 mg/m <sup>3</sup>	TWA: 150 ppm TWA: 350 mg/m <sup>3</sup> STEL: 250 ppm STEL: 600 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 250 ppm STEL: 620 mg/m <sup>3</sup>
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Isopropyl alcohol 67-63-0	STEL: 400 ppm STEL: 980 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> Peak: 400 ppm Peak: 1000 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup> STEL: 1000 mg/m <sup>3</sup> b*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Isopropyl alcohol 67-63-0	TWA: 200 ppm STEL: 400 ppm Sk*	-	TWA: 200 ppm TWA: 492 mg/m <sup>3</sup> STEL: 400 ppm STEL: 983 mg/m <sup>3</sup>	TWA: 350 mg/m <sup>3</sup> STEL: 600 mg/m <sup>3</sup>	TWA: 150 ppm TWA: 350 mg/m <sup>3</sup> STEL: 250 ppm STEL: 600 mg/m <sup>3</sup>
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Isopropyl alcohol 67-63-0	-	-	-	TWA: 100 ppm TWA: 245 mg/m <sup>3</sup> STEL: 150 ppm STEL: 306.25 mg/m <sup>3</sup>	STEL: 1200 mg/m <sup>3</sup> TWA: 900 mg/m <sup>3</sup> skóra*
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Isopropyl alcohol 67-63-0	TWA: 200 ppm STEL: 400 ppm	TWA: 81 ppm TWA: 200 mg/m <sup>3</sup> STEL: 203 ppm STEL: 500 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> Ceiling: 1000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>
Chemical name	Sweden		Switzerland		United Kingdom
Isopropyl alcohol 67-63-0	NGV: 150 ppm NGV: 350 mg/m <sup>3</sup> Vägledande KGV: 250 ppm Vägledande KGV: 600 mg/m <sup>3</sup>		TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>		TWA: 400 ppm TWA: 999 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1250 mg/m <sup>3</sup>

#### Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Isopropyl alcohol 67-63-0	-	-	-	50 mg/L - blood (Acetone) - at the end of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift	-
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Isopropyl alcohol 67-63-0	-	-	-	25 mg/L (whole blood - Acetone end	25 mg/L (whole blood - Acetone end

Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII
Isopropyl alcohol 67-63-0	-	40 mg/L (urine - Acetone end of shift at end of workweek)	-	40 mg/L - urine (Acetone) - end of shift at end of workweek
Chemical name	Latvia	Luxembourg	Romania	Slovakia
Isopropyl alcohol 67-63-0	-	-	50 mg/L - urine (Acetone) - end of shift	-
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
Isopropyl alcohol 67-63-0	25 mg/L - blood (Acetone) - at the end of the work shift 25 mg/L - urine (Acetone) - at the end of the work shift	40 mg/L (urine - Acetone end of workweek)	25 mg/L (urine - Acetone end of shift) 0.4 mmol/L (urine - Acetone end of shift) 25 mg/L (whole blood - Acetone end of shift) 0.4 mmol/L (whole blood - Acetone end of shift)	-

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration (PNEC)**

**Derived No Effect Level (DNEL) - Workers**

Chemical name	Oral	Dermal	Inhalation
Isopropyl alcohol 67-63-0	-	888 mg/kg bw/day [4] [6]	500 mg/m <sup>3</sup> [4] [6]

[4] Systemic health effects.

[6] Long term.

**Derived No Effect Level (DNEL) - General Public**

Chemical name	Oral	Dermal	Inhalation
Isopropyl alcohol 67-63-0	26 mg/kg bw/day [4] [6]	-	89 mg/m <sup>3</sup> [4] [6]

[4] Systemic health effects.

[6] Long term.

**Predicted No Effect Concentration (PNEC)**

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Isopropyl alcohol 67-63-0	140.9 mg/L	140.9 mg/L	140.9 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Isopropyl alcohol 67-63-0	552 mg/kg sediment dw	552 mg/kg sediment dw	2251 mg/L	28 mg/kg soil dw	160 mg/kg food

### 8.2. Exposure controls

<b>Engineering controls</b>	No information available.
<b>Personal protective equipment</b>	
<b>Eye/face protection</b>	Tight sealing safety goggles.
<b>Hand protection</b>	Wear suitable gloves. Impervious gloves.
<b>Skin and body protection</b>	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
<b>Respiratory protection</b>	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
<b>General hygiene considerations</b>	Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.
<b>Environmental exposure controls</b>	No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Solid
<b>Color</b>	No information available
<b>Odor</b>	Alcohol.
<b>Odor threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Melting point / freezing point</b>	-89 °C	
<b>Initial boiling point and boiling range</b>	82 °C	
<b>Flammability</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	12.0%	
<b>Lower flammability or explosive limits</b>	2.0%	
<b>Flash point</b>	11 °C	
<b>Autoignition temperature</b>	399 °C	
<b>Decomposition temperature</b>	- °C	None known
<b>pH</b>	NA	None known
<b>pH (as aqueous solution)</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	ND	None known
<b>Water solubility</b>	No data available Soluble in water	
<b>Solubility(ies)</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known

Vapor pressure	No data available	None known
Relative density	1.00	
Bulk density	No data available	
Liquid Density	8.3454	
Relative vapor density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

### 9.2. Other information

VOC content 59.9

9.2.1. Information with regard to physical hazard classes  
Not applicable - °C - °C

9.2.2. Other safety characteristics  
No information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reactivity No information available.

### 10.2. Chemical stability

Stability Stable under normal conditions.

#### Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### 10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

### 10.5. Incompatible materials

Incompatible materials None known based on information supplied.

### 10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

##### Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** May cause redness and tearing of the eyes.

**Acute toxicity**

**Numerical measures of toxicity**

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	> 10000 ppm ( Rat ) 6 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation** May cause skin irritation.

**Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

**11.2. Information on other hazards**

**11.2.1. Endocrine disrupting properties**

**Endocrine disrupting properties** No information available.

**11.2.2. Other information****Other adverse effects** No information available.**SECTION 12: Ecological information****12.1. Toxicity****Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl alcohol	EC50: >1000mg/L (96h, Desmodesmus subspicatus) EC50: >1000mg/L (72h, Desmodesmus subspicatus)	LC50: =9640mg/L (96h, Pimephales promelas) LC50: =11130mg/L (96h, Pimephales promelas) LC50: >1400000µg/L (96h, Lepomis macrochirus)	-	EC50: =13299mg/L (48h, Daphnia magna)

**12.2. Persistence and degradability****Persistence and degradability** No information available.**12.3. Bioaccumulative potential****Bioaccumulation****Component Information**

Chemical name	Partition coefficient
Isopropyl alcohol	0.05

**12.4. Mobility in soil****Mobility in soil** No information available.**12.5. Results of PBT and vPvB assessment****PBT and vPvB assessment** No information available.

Chemical name	PBT and vPvB assessment
Isopropyl alcohol	The substance is not PBT / vPvB PBT assessment does not apply

**12.6. Endocrine disrupting properties****Endocrine disrupting properties** No information available.**12.7. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Do not dispose

of waste into sewer. Do not allow into any sewer on the ground, or into any body of water. This material and its container must be disposed of as hazardous waste.

**Contaminated packaging**

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Dispose of wastes in an approved waste disposal facility. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.

**Other information**

Waste codes should be assigned by the user based on the application for which the product was used.

**SECTION 14: Transport information****IATA**

14.1 UN number or ID number	UN3175 (not regulated as per Special Provision A46)
14.2 UN proper shipping name	Solids containing flammable liquid, n.o.s. (not regulated as per Special Provision A46)
14.3 Transport hazard class(es)	4.1 (not regulated as per Special Provision A46)
14.4 Packing group	II (not regulated as per Special Provision A46)
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

**IMDG**

14.1 UN number or ID number	UN3175 (not regulated as per Special Provision 216)
14.2 UN proper shipping name	Solids containing flammable liquid, n.o.s. (not regulated as per Special Provision 216)
14.3 Transport hazard class(es)	4.1 (not regulated as per Special Provision 216)
14.4 Packing group	II (not regulated as per Special Provision 216)
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
EmS-No	F-A, S-I (not regulated as per Special Provision 216)
Maritime transport in bulk according to IMO instruments	No information available

**ADR**

14.1 UN number or ID number	UN3175 (not regulated as per Special Provision 216)
14.2 UN proper shipping name	Solids containing flammable liquid, n.o.s. (not regulated as per Special Provision 216)
14.3 Transport hazard class(es)	4.1 (not regulated as per Special Provision 216)
14.4 Packing group	II (not regulated as per Special Provision 216)
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
Classification code	F1 (not regulated as per Special Provision 216)

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****France****Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number
Isopropyl alcohol 67-63-0	RG 84

**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

**Authorizations and/or restrictions on use:**

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Isopropyl alcohol - 67-63-0	75.	-

**Persistent Organic Pollutants**

Not applicable

**Dangerous substance category per Seveso Directive (2012/18/EU)**

P5a - FLAMMABLE LIQUIDS

P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

**Biocidal Products Regulation (EU) No 528/2012 (BPR)**

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Isopropyl alcohol - 67-63-0	Product-type 2: Disinfectants and algacides not intended for direct application to humans or animals Product-type 4: Food and feed area Product-type 1: Human hygiene

**International Inventories**

<b>TSCA</b>	Contact supplier for inventory compliance status
<b>DSL/NDSL</b>	Contact supplier for inventory compliance status
<b>EINECS/ELINCS</b>	Contact supplier for inventory compliance status
<b>ENCS</b>	Contact supplier for inventory compliance status
<b>IECSC</b>	Contact supplier for inventory compliance status
<b>KECL</b>	Contact supplier for inventory compliance status
<b>PICCS</b>	Contact supplier for inventory compliance status
<b>AIC</b>	Contact supplier for inventory compliance status
<b>NZIoC</b>	Contact supplier for inventory compliance status

**Legend:**

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AICS** - Australian Inventory of Chemical Substances
- NZIoC** - New Zealand Inventory of Chemicals

**15.2. Chemical safety assessment**

**Chemical Safety Report** No information available

**SECTION 16: Other information**

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**Full text of H-Statements referred to under section 3**

H225 - Highly flammable liquid and vapor  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness

**Legend**

SVHC: Substances of Very High Concern for Authorization:

**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA                      TWA (time-weighted average)                      STEL                      STEL (Short Term Exposure Limit)  
Ceiling                      Maximum limit value                      \*                      Skin designation  
+                      Sensitizers

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	On basis of test data
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	On basis of test data
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Flammable liquids	On basis of test data

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)  
European Chemicals Agency (ECHA) (ECHA\_API)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGl(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
National Institute of Technology and Evaluation (NITE)  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

---

Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

**Revision date** 25-Jan-2023

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**